

Standard Features:

- **Compact Desktop Design:** The user-friendly design provides easy installation and operation
- **Drop-In Top Feed System:** Produces dependable feeding of forms with no paper fanning required
- **14" Form Length Capability:** Flexibility to process forms up to 14" in length
- **Speed:** Up to 100 forms per minute
- **Fold Types:** Folds Z, C, Uneven Z, Uneven C, Half and custom folds
- **LED Indicators:** Notify an operator when the power is on, a cover is open, the paper runs out or a fault occurs
- **Hopper Capacity:** Up to 200 forms, 20#
- **Easy-Adjust Pre-Marked Fold Plates:** Makes changing fold type or form size quick and easy
- **Six-Digit resettable Counter:** Provides maximum audit control

Options:

- **18" Conveyor with Photo Eye:** Allows for neat and sequential stacking of processed forms
- **Locking Cabinet:** Fully enclosed for storage
- **402 Series Jogger:** Reduces static electricity from forms and aligns them for proper feeding
- **FD 1502-35 Reverse Stacking Conveyor:** Allows for A-to-Z input and A-to-Z output



Economical Pressure Seal Solution

The FD 1502 AutoSeal® is an ideal mid-volume solution for processing one-piece pressure sensitive mailers. With a speed of up to 100 forms per minute, in sizes up to 14" in length, the FD 1502 enables operators to complete daily jobs with ease.

Newly redesigned fold plates are clearly marked and easier to adjust, making the FD 1502 a breeze to setup, right out of the box. With the capacity to process 14" forms, it has the versatility to fold and seal virtually any mid-volume application to meet your needs. Fold plates are marked for four standard folds - Z, C, Uneven Z and Half folds - and can be easily reset for custom folds including Eccentric Z and C-fold mailers.

The compact, sleek design and ease of operation make this unit ideal for processing documents in an office environment with mid-volume applications. Built in the USA with proven Formax technology, the FD 1502 provides an economical solution with the quality and reliability you have come to expect from Formax.

Visit www.formax.com to watch the product demonstration video

Flexible


The FD 1502 handles a variety of even panel forms up to 8 1/2" x 14" including checks, invoices, school reports, tax forms and appointment notices. Pressure seal mailers can be used for virtually any application that can be printed on one form. The extended fold plate processes uneven panel forms up to 8 1/2" x 14".



User-friendly Control Panel

Pressure Seal Solution

The AutoSeal® FD 1502, combined with a laser printer and pressure seal forms, creates a secure, time saving and efficient solution for paper processing.



Standard "Z" Fold Process

Dependable & Powerful


The FD 1502 is built with proven Formax technology. Heavy-duty steel construction offers the dependability and power expected of a larger unit in a smaller package. A hopper capacity of up to 200 forms, and processing speed of up to 100 forms per minute enables an operator to complete daily jobs in no time.

Easy to Operate

The FD 1502 is designed for user friendly operation. Simply set your folds according to the clearly marked settings on the fold plates, load your forms using the drop-in feed system, press start and you're on your way. The FD 1502 has LED indicators for power on, fault detection, paper out and cover open. It also includes a six-digit counter for audit control.



Redesigned fold plates - Clearly marked and easier to adjust



402 Series Jogger - an option which reduces static electricity from forms and aligns them for proper feeding

Specifications

Hopper Capacity:	Up to 200 sheets 20# (90gsm)
Fixed Speed:	Up to 100 sheets per minute - based on 11" (279mm) "Z" fold
Paper Size:	Up to 8.5" W x 14" L (216 W x 356 L mm)
Usage:	Mid-volume
Power:	FD Model: 120 Volts AC 50/60Hz FE Model: 220 Volts AC 50/60Hz
Dimensions:	24" L x 17" W x 13" H (61 L x 43 W x 33 H cm)
Weight:	82 lbs (37 kg)
Document Sequence:	Standard sequence is A-to-Z input, Z-to-A output. Optional FD 1502-35 reverse conveyor available for A-to-Z output.
Certifications:	UL, CE and CUL Approved
Made in the USA	

Formax - New Hampshire, USA
www.formax.com

Local Dealer: