Duplo

DF-850 Tabletop Folder

• Folds up to 241 sheets per minute

• Ascending and descending count

Compact, reliable and energy saving

• The fold plate stopper is adjusted via

and custom folds

Interval/batch modes

controlo panel

• Performs six of the most common folds


• Cross folding feature for right angle folds

• Test button folds two sheets for inspection



The DF-850 Tabletop Folder offers a fast, affordable and user-friendly solution for your folding needs. Fold documents such as brochures, menus, letters and invoices at up to 241 letter size sheets per minute. Perform single, double, half accordion, letter, accordion, and gate folds. Cross folding for right angle folds is also possible.

With a patented friction feed system and adjustable paper and feed separator pressure controls, a wider range of paper stock up to 157 gsm can be fed with increased accuracy and consistency. Non-stop productivity is also ensured with an ascending/ descending counter and a 500-sheet feed tray capacity. The DF-850 makes folding quick and easy, making it ideal for offices, churches and schools.



S P E C I F I C A T I O N S

| PAPER SIZE (WxL) | 3.59″ x 5.04″ to 11.7″ x 17″ |
|--------------------|---|
| PAPERTYPE | Bond, NCR, some art/coated paper ¹ |
| PAPER WEIGHT | 52.3 – 157 gsm/14 – 41 lbs. (129.9gsm/34 lbs. paper cannot be cross folded) |
| FOLD TYPES | Single, double, half accordion, letter, accordion, gate. Special cross fold (two passes, paper thickness 14 lbs. to 28 lbs.) and custom folds |
| FEED TRAY CAPACITY | 1.8", up to 500 sheets (64 gsm/17 lbs.) |
| SPEED | Up to 241 sheets per minute (letter size) ³ |
| PAPER FEED METHOD | Patented friction-feed with skew correction |
| COUNTER | Ascending 4-digit, descending 3-digit |
| DETECTION FUNCTION | Opening/closing of top cover, no paper, miss feed, paper jam, paper feed tray position |
| POWER SUPPLY | 120V 60Hz 0.85A |
| DIMENSIONS (WxDxH) | ln use: 35.4" x 18.9" x 21.07" In storage: 25" x 19" x 22" |
| WEIGHT | 69.5 lbs. |
| | |

¹ The DF-850/870 can feed all coated papers. It is recommended to the user of this product to test all coated paper to determine compatibility.

² Production rates are based upon optimal operating conditions and may vary depending on stock and environmental conditions.

³ 241 sheets per minute is based on a single/half fold, using A4, fine quality long grain, 81.4 gsm/21.6 lbs. paper.

⁴ As part of our continuous product improvement program, specifications are subject to change without notice.

Duplo USA Corporation

1018A0